L Number	Hits	Search Text	DB	Time stamp
1	8	bit NEAR2 overlay NEAR2 mode	USPAT	2003/12/03
2	0	color and 5844534.pn.	USPAT	11:17 2003/12/03
3	0	(color or colour) and 5844534.pn.	USPAT	11:17 2003/12/03 11:40
4	4	1-bit NEAR2 overlay\$3	USPAT	2003/12/03 12:43
5	0	(Brownlow-\$.in.) and 345/145.ccls.	US-PGPUB	2003/12/03
6	0	(Brownlow-\$.in)	US-PGPUB	2003/12/03 11:58
7	30	format\$1 NEAR2 (sb or mb or nb or frc)	US-PGPUB	2003/12/03 12:23
8	0	(format\$1 NEAR2 (sb or mb or nb or frc)) and (1-bit or one NEAR1 bit)	USPAT	2003/12/03
9	3808	(1-bit or (bit NEAR2 overlay NEAR2 mode) or one) NEAR1 bit) WITH (mode\$1 or format\$1)	USPAT	2003/12/03 12:27
10	473	((1-bit or ((bit NEAR2 overlay NEAR2 mode) or one) NEAR1 bit) WITH (mode\$1	USPAT	2003/12/03
11	1255	or format\$1)) and (345/\$ or 348/\$).ccls. (1-bit or ((bit NEAR2 overlay NEAR2 mode) or one) NEAR1 bit) NEAR3 (mode\$1 or format\$1)	USPAT	2003/12/03
12	160		USPAT	2003/12/03 12:27
		and ((1-bit or ((bit NEAR2 overlay NEAR2 mode) or one) NEAR1 bit) NEAR3 (mode\$1 or format\$1))		
13	34		USPAT	2003/12/03 13:55
14	1		USPAT	2003/12/03 14:18
15	1022637	format\$1)	USPAT	2003/12/03 14:18
16	1021947	<pre>(one or (bit NEAR2 overlay NEAR2 mode)) NEAR1 bit NEAR3 display NEA3 (mode\$1 or format\$1)</pre>	USPAT	2003/12/03
17	1021947	(one or (bit NEAR2 overlay NEAR2 mode)) NEAR1 bit NEAR3 display NEA1 (mode\$1	USPAT	2003/12/03 14:25
18	22840	or format\$1) 345/\$.ccls. and ((one or (bit NEAR2 overlay NEAR2 mode)) NEAR1 bit NEAR3	USPAT	2003/12/03 14:25
19	1021895	display NEA1 (mode\$1 or format\$1)) (one or (bit NEAR2 overlay NEAR2 mode)) NEAR1 bit NEAR3 represent\$3 NEAR2	USPAT	2003/12/03 14:25
20	22797	display NEA1 (mode\$1 or format\$1) (345/\$.ccls. and ((one or (bit NEAR2 overlay NEAR2 mode)) NEAR1 bit NEAR3	USPAT	2003/12/03 14:27
		display NEA1 (mode\$1 or format\$1))) and ((one or (bit NEAR2 overlay NEAR2 mode)) NEAR1 bit NEAR3 represent\$3 NEAR2		
21	4	display NEA1 (mode\$1 or format\$1)) (one or (bit NEAR2 overlay NEAR2 mode)) NEAR1 bit NEAR2 display NEAR2 (mode\$1 or format\$1)	USPAT	2003/12/03 14:29
22	943	(one or (bit NEAR2 overlay NEAR2 mode)) NEAR1 bit NEAR2 (mode\$1 or format\$1 or	USPAT	2003/12/03 14:39
23	81	mode)) NEAR1 bit NEAR2 (mode\$1 or	USPAT	2003/12/03 14:38
24	427	format\$1 or resolut\$30)) and 345/\$.ccls. (MSB OR LSB) NEAR2 (mode\$1 or format\$1 or resolut\$30)	USPAT	2003/12/03 14:40

	1 44	WEARS (modes) or formats)	USPAT	2003/12/03
25	44		USIAI	14:45
		or resolut\$30)) not (((one or (bit NEAR2		114.43
	ļ.	overlay NEAR2 mode)) NEAR1 bit NEAR2	1	1
	i	(mode\$1 or format\$1 or resolut\$30)) and	ļ	
	ļ	345/\$.ccls.) and 345/\$.ccls.		
26	653	bit NEAR5 display NEAR3 (mode\$1 or	USPAT	2003/12/03
		format\$1 or resolution\$1)		14:47
27	332	(bit NEAR5 display NEAR3 (mode\$1 or	USPAT	2003/12/03
-		format\$1 or resolution\$1)) and		14:47
		345/\$.ccls.	1	
28	316	1 ' '	USPAT	2003/12/03
20] 310	format\$1 or resolution\$1)) and		14:48
		345/\$.ccls.) not (((one or (bit NEAR2		1
		overlay NEAR2 mode)) NEAR1 bit NEAR2	}	1
		(mode\$1 or format\$1 or resolut\$30)) and	!	
	1	345/\$.ccls.) not ((MSB OR LSB) NEAR2	1	l i
	1			i
		(mode\$1 or format\$1 or resolut\$30)) not		
		(((one or (bit NEAR2 overlay NEAR2		1
		mode)) NEAR1 bit NEAR2 (mode\$1 or	i	
		format\$1 or resolut\$30)) and 345/\$.ccls.)		1.
1		and 345/\$.ccls.)		

11 11	HITS	Search Text	DB	mara -
Number			1 22	Time stamp
1	8	bit NEAR2 overlay NEAR2 mode	USPAT	2003/12/03
2	0	malau aud 5044504	· = - • •	11:17
-	U	color and 5844534.pn.	USPAT	2003/12/03
3	0	(color or colour) and 5844534.pn.		11:17
			USPAT	2003/12/03
4	4	1-bit NEAR2 overlay\$3		11:40
			USPAT	2003/12/03
5	0	(220miles 7:111.) and 345/145.ccls.	US-PGPUB	12:43
				2003/12/03
6	0	(Brownlow-\$.in)	US-PGPUB	11:58
7			OD FGFOR	2003/12/03
′	30	format\$1 NEAR2 (sb or mb or nb or frc)	US-PGPUB	2003/12/03
8	0			12:23
Ĭ	٠	(format\$1 NEAR2 (sb or mb or nb or frc))	USPAT	2003/12/03
9 [3808	and (1-bit or one NEAR1 bit)		12:17
1	0000	(1-bit or ((bit NEAR2 overlay NEAR2 mode) or one) NEAR1 bit) WITH (mode\$1	USPAT	2003/12/03
1		or format\$1) with (mode\$1		12:27
10	473	((1-bit or ((bit NEAR2 overlay NEAR2		
1		mode of one NEARI bit With (modes)	USPAT	2003/12/03
		or $Iormats1)$) and $(345/6)$ or $349/6)$	1	12:26
11	1255	(1-Dit Of ((Dit NEAR2 Overlay NEAR2)	USPAT	2002/12/02
		mode, or one) NEAR1 bit) NEAD3 (modes)		2003/12/03 12:27
2	160	or iormat\$1)	1	12.21
-	1	(((1-bit or ((bit NEAR2 overlay NEAR2	USPAT	2003/12/03
		mode) or one) NEAR1 bit) WITH (mode\$1	,	12:27
	ľ	or format\$1)) and (345/\$ or 348/\$).ccls.) and ((1-bit or ((bit NEAR2 overlay		
		NEAR2 mode) or one) NEAR1 bit) NEAR3		
_		(mode\$1 or format\$1))		
3	34	one NEAR2 bit NEAR2 overlay\$3	IICD b m	2005/100/100/100/100/100/100/100/100/100/
			USPAT	2003/12/03
	-			12:44